


2020

Tents






Cross-frame construction

Aluminium silver frame

Hexagonal profiles

Functional adjustment mechanism


Solid mounting foot



Cover mounting





Walls finishing
Velcros (standard) or zippers




Details

Section of frame profiles.




Outer leg



Inner leg

	2 x 2	2 x 3	2 x 4	2,5 x 2,5	3 x 3	3 x 4,5	3 x 6	4 x 4
A ₁ [mm]	2070	2070	2070	2550	3050	3050	3050	4030
A ₂ [mm]	2070	3050	4000	2550	3050	4540	6000	4030
B [mm]	2260-2460	2260-2460	2260-2460	2260-2460	2260-2460	2260-2460	2260-2460	2260-2460
C [mm]	2860-3060	2860-3060	2860-3060	3100-3300	3260-3460	3260-3460	3260-3460	3680-3880
D [mm]	330	330	330	330	330	330	330	330
E	30°	30°	30°	30°	30°	30°	30°	30°
F [mm]	1555	1555	1555	1555	1555	1555	1555	2072
G [mm]	360	500	635	360	360	500	635	360
H [mm]	360	360	360	360	360	360	360	360
The number of legs in the frame	4	4	4	4	4	4	6	4



Dimensions and sizes.

*Wall
combinations*

